

Distribution of Households by Main Source of Drinking Water

City of Surigao (Capital), Surigao del Norte

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	20,297	51.31	20,297	51.31
Piped to yard / plot	2,843	7.19	23,140	58.50
Piped to neighbor	828	2.09	23,968	60.59
Public tap / stand pipe	2,564	6.48	26,532	67.07
Trubed well / borehole	999	2.53	27,531	69.60
Protected well	341	0.86	27,872	70.46
Unprotected well	68	0.17	27,940	70.63
Protected spring	751	1.90	28,691	72.53
Unprotected spring	89	0.22	28,780	72.75
Rainwater	18	0.05	28,798	72.80
Tanker truck	5	0.01	28,803	72.81
Cart with small tank	22	0.06	28,825	72.87
Water refilling station	10,277	25.98	39,102	98.85
Surface water	37	0.09	39,139	98.94
Bottled water	407	1.03	39,546	99.97
Sachet water	12	0.03	39,558	100.00
Total	39,558	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Alang-alang

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	15	15.00	15	15.00
Trubed well / borehole	49	49.00	64	64.00
Protected well	1	1.00	65	65.00
Unprotected spring	31	31.00	96	96.00
Water refilling station	4	4.00	100	100.00
Total	100	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Alegria

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Public tap / stand pipe	155	100.00	155	100.00
Total	155	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Anomar

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	375	87.41	375	87.41
Piped to yard / plot	40	9.32	415	96.74
Piped to neighbor	1	0.23	416	96.97
Public tap / stand pipe	6	1.40	422	98.37
Trubed well / borehole	1	0.23	423	98.60
Protected spring	2	0.47	425	99.07
Unprotected spring	3	0.70	428	99.77
Bottled water	1	0.23	429	100.00
Total	429	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Aurora

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	10	5.21	10	5.21
Piped to yard / plot	29	15.10	39	20.31
Piped to neighbor	7	3.65	46	23.96
Public tap / stand pipe	146	76.04	192	100.00
Total	192	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Serna

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	175	42.58	175	42.58
Piped to yard / plot	10	2.43	185	45.01
Piped to neighbor	5	1.22	190	46.23
Public tap / stand pipe	7	1.70	197	47.93
Tubed well / borehole	2	0.49	199	48.42
Protected well	4	0.97	203	49.39
Protected spring	26	6.33	229	55.72
Water refilling station	182	44.28	411	100.00
Total	411	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Balibayon

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	109	20.64	109	20.64
Piped to yard / plot	253	47.92	362	68.56
Piped to neighbor	90	17.05	452	85.61
Public tap / stand pipe	2	0.38	454	85.98
Tubed well / borehole	1	0.19	455	86.17
Protected well	1	0.19	456	86.36
Water refilling station	72	13.64	528	100.00
Total	528	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Baybay

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	6	6.38	6	6.38
Piped to yard / plot	1	1.06	7	7.45
Tubed well / borehole	1	1.06	8	8.51
Protected well	6	6.38	14	14.89
Protected spring	7	7.45	21	22.34
Unprotected spring	23	24.47	44	46.81
Rainwater	1	1.06	45	47.87
Cart with small tank	1	1.06	46	48.94
Water refilling station	48	51.06	94	100.00
Total	94	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Bilabid

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Tubed well / borehole	69	97.18	69	97.18
Bottled water	2	2.82	71	100.00
Total	71	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Bitaugan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	55	32.16	55	32.16
Piped to yard / plot	112	65.50	167	97.66
Public tap / stand pipe	1	0.58	168	98.25
Tubed well / borehole	1	0.58	169	98.83
Protected well	1	0.58	170	99.42
Protected spring	1	0.58	171	100.00
Total	171	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Bonifacio

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	396	47.31	396	47.31
Piped to yard / plot	47	5.62	443	52.93
Piped to neighbor	6	0.72	449	53.64
Tubed well / borehole	3	0.36	452	54.00
Protected well	9	1.08	461	55.08
Unprotected well	1	0.12	462	55.20
Protected spring	93	11.11	555	66.31
Cart with small tank	1	0.12	556	66.43
Water refilling station	276	32.97	832	99.40
Bottled water	5	0.60	837	100.00
Total	837	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Buenavista

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	24	10.67	24	10.67
Piped to yard / plot	9	4.00	33	14.67
Tubed well / borehole	42	18.67	75	33.33
Protected well	3	1.33	78	34.67
Protected spring	1	0.44	79	35.11
Unprotected spring	14	6.22	93	41.33
Water refilling station	132	58.67	225	100.00
Total	225	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Cabongbongan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	131	59.55	131	59.55
Piped to yard / plot	43	19.55	174	79.09
Piped to neighbor	17	7.73	191	86.82
Public tap / stand pipe	27	12.27	218	99.09

Tubed well / borehole	1	0.45	219	99.55
Bottled water	1	0.45	220	100.00
Total	220	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Cagniog

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	1,125	57.87	1,125	57.87
Piped to yard / plot	154	7.92	1,279	65.79
Piped to neighbor	89	4.58	1,368	70.37
Public tap / stand pipe	4	0.21	1,372	70.58
Tubed well / borehole	3	0.15	1,375	70.73
Protected well	4	0.21	1,379	70.94
Protected spring	23	1.18	1,402	72.12
Rainwater	1	0.05	1,403	72.17
Tanker truck	1	0.05	1,404	72.22
Cart with small tank	7	0.36	1,411	72.58
Water refilling station	526	27.06	1,937	99.64
Bottled water	7	0.36	1,944	100.00
Total	1,944	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Cagutsan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	6	6.00	6	6.00
Piped to yard / plot	29	29.00	35	35.00
Piped to neighbor	2	2.00	37	37.00
Protected well	37	37.00	74	74.00
Water refilling station	10	10.00	84	84.00
Surface water	16	16.00	100	100.00
Total	100	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Cantiasay

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	40	17.54	40	17.54
Piped to yard / plot	119	52.19	159	69.74
Piped to neighbor	6	2.63	165	72.37
Public tap / stand pipe	15	6.58	180	78.95
Protected well	1	0.44	181	79.39
Protected spring	45	19.74	226	99.12
Unprotected spring	2	0.88	228	100.00
Total	228	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Capalayan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	238	36.23	238	36.23
Piped to yard / plot	87	13.24	325	49.47
Piped to neighbor	18	2.74	343	52.21
Public tap / stand pipe	132	20.09	475	72.30

Tubed well / borehole	5	0.76	480	73.06
Protected well	4	0.61	484	73.67
Protected spring	28	4.26	512	77.93
Unprotected spring	1	0.15	513	78.08
Water refilling station	139	21.16	652	99.24
Surface water	4	0.61	656	99.85
Bottled water	1	0.15	657	100.00
Total	657	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Catadman

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	1	1.04	1	1.04
Tubed well / borehole	86	89.58	87	90.63
Protected well	2	2.08	89	92.71
Water refilling station	5	5.21	94	97.92
Bottled water	2	2.08	96	100.00
Total	96	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Danao

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	171	87.24	171	87.24
Piped to yard / plot	24	12.24	195	99.49
Protected spring	1	0.51	196	100.00
Total	196	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Danawan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	3	1.84	3	1.84
Piped to yard / plot	4	2.45	7	4.29
Public tap / stand pipe	3	1.84	10	6.13
Tubed well / borehole	110	67.48	120	73.62
Protected well	9	5.52	129	79.14
Protected spring	34	20.86	163	100.00
Total	163	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Day-asan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	182	35.48	182	35.48
Piped to yard / plot	4	0.78	186	36.26
Public tap / stand pipe	117	22.81	303	59.06
Tubed well / borehole	7	1.36	310	60.43
Protected well	39	7.60	349	68.03
Protected spring	44	8.58	393	76.61
Tanker truck	1	0.19	394	76.80
Water refilling station	119	23.20	513	100.00
Total	513	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Ipil

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	465	38.65	465	38.65
Piped to yard / plot	62	5.15	527	43.81
Piped to neighbor	12	1.00	539	44.80
Public tap / stand pipe	53	4.41	592	49.21
Tubed well / borehole	20	1.66	612	50.87
Protected well	15	1.25	627	52.12
Protected spring	207	17.21	834	69.33
Water refilling station	348	28.93	1,182	98.25
Bottled water	21	1.75	1,203	100.00
Total	1,203	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Libuac

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	3	1.46	3	1.46
Public tap / stand pipe	200	97.09	203	98.54
Water refilling station	3	1.46	206	100.00
Total	206	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Lipata

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	582	85.84	582	85.84
Piped to yard / plot	23	3.39	605	89.23
Piped to neighbor	17	2.51	622	91.74
Public tap / stand pipe	17	2.51	639	94.25
Tubed well / borehole	17	2.51	656	96.76
Protected well	4	0.59	660	97.35
Protected spring	2	0.29	662	97.64
Water refilling station	2	0.29	664	97.94
Bottled water	14	2.06	678	100.00
Total	678	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Lisondra

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	1	0.48	1	0.48
Public tap / stand pipe	208	99.05	209	99.52
Bottled water	1	0.48	210	100.00
Total	210	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Luna

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	1,286	42.19	1,286	42.19
Piped to yard / plot	34	1.12	1,320	43.31
Piped to neighbor	57	1.87	1,377	45.18

Public tap / stand pipe	235	7.71	1,612	52.89
Tubed well / borehole	96	3.15	1,708	56.04
Protected well	24	0.79	1,732	56.82
Unprotected well	1	0.03	1,733	56.86
Protected spring	1	0.03	1,734	56.89
Unprotected spring	1	0.03	1,735	56.92
Water refilling station	1,261	41.37	2,996	98.29
Surface water	1	0.03	2,997	98.33
Bottled water	51	1.67	3,048	100.00
Total	3,048	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Mabini

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	393	75.14	393	75.14
Piped to yard / plot	42	8.03	435	83.17
Piped to neighbor	30	5.74	465	88.91
Public tap / stand pipe	25	4.78	490	93.69
Protected well	16	3.06	506	96.75
Unprotected well	1	0.19	507	96.94
Protected spring	3	0.57	510	97.51
Water refilling station	8	1.53	518	99.04
Surface water	1	0.19	519	99.24
Bottled water	4	0.76	523	100.00
Total	523	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Mabua

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	226	29.01	226	29.01
Piped to yard / plot	9	1.16	235	30.17
Piped to neighbor	9	1.16	244	31.32
Public tap / stand pipe	56	7.19	300	38.51
Tubed well / borehole	14	1.80	314	40.31
Protected well	7	0.90	321	41.21
Protected spring	32	4.11	353	45.31
Rainwater	9	1.16	362	46.47
Tanker truck	1	0.13	363	46.60
Water refilling station	415	53.27	778	99.87
Surface water	1	0.13	779	100.00
Total	779	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Manyagao

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	7	2.90	7	2.90
Piped to yard / plot	1	0.41	8	3.32
Piped to neighbor	1	0.41	9	3.73
Public tap / stand pipe	2	0.83	11	4.56
Tubed well / borehole	168	69.71	179	74.27
Protected well	30	12.45	209	86.72

Water refilling station	32	13.28	241	100.00
Total	241	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Mapawa

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	59	19.16	59	19.16
Piped to yard / plot	20	6.49	79	25.65
Piped to neighbor	2	0.65	81	26.30
Public tap / stand pipe	198	64.29	279	90.58
Protected well	1	0.32	280	90.91
Unprotected spring	6	1.95	286	92.86
Water refilling station	21	6.82	307	99.68
Surface water	1	0.32	308	100.00
Total	308	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Mat-i

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	746	44.19	746	44.19
Piped to yard / plot	165	9.77	911	53.97
Piped to neighbor	152	9.00	1,063	62.97
Public tap / stand pipe	37	2.19	1,100	65.17
Tubed well / borehole	95	5.63	1,195	70.79
Protected well	15	0.89	1,210	71.68
Unprotected well	48	2.84	1,258	74.53
Protected spring	64	3.79	1,322	78.32
Unprotected spring	4	0.24	1,326	78.55
Water refilling station	330	19.55	1,656	98.10
Surface water	1	0.06	1,657	98.16
Bottled water	31	1.84	1,688	100.00
Total	1,688	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Nabago

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	211	74.82	211	74.82
Piped to yard / plot	22	7.80	233	82.62
Tubed well / borehole	1	0.35	234	82.98
Protected well	1	0.35	235	83.33
Unprotected well	1	0.35	236	83.69
Protected spring	8	2.84	244	86.52
Unprotected spring	1	0.35	245	86.88
Water refilling station	14	4.96	259	91.84
Bottled water	23	8.16	282	100.00
Total	282	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Nonoc

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	241	83.68	241	83.68

Piped to yard / plot	3	1.04	244	84.72
Piped to neighbor	15	5.21	259	89.93
Public tap / stand pipe	10	3.47	269	93.40
Protected spring	1	0.35	270	93.75
Water refilling station	18	6.25	288	100.00
Total	288	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Poctoy

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	352	77.70	352	77.70
Piped to yard / plot	34	7.51	386	85.21
Piped to neighbor	9	1.99	395	87.20
Public tap / stand pipe	7	1.55	402	88.74
Water refilling station	51	11.26	453	100.00
Total	453	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Punta Bilar

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	73	20.98	73	20.98
Piped to yard / plot	249	71.55	322	92.53
Piped to neighbor	21	6.03	343	98.56
Public tap / stand pipe	2	0.57	345	99.14
Tubed well / borehole	3	0.86	348	100.00
Total	348	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Quezon

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	510	96.96	510	96.96
Piped to yard / plot	8	1.52	518	98.48
Piped to neighbor	3	0.57	521	99.05
Tubed well / borehole	1	0.19	522	99.24
Protected well	2	0.38	524	99.62
Protected spring	1	0.19	525	99.81
Water refilling station	1	0.19	526	100.00
Total	526	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Rizal

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	917	51.06	917	51.06
Piped to yard / plot	87	4.84	1,004	55.90
Piped to neighbor	6	0.33	1,010	56.24
Public tap / stand pipe	4	0.22	1,014	56.46
Tubed well / borehole	3	0.17	1,017	56.63
Protected well	13	0.72	1,030	57.35
Protected spring	77	4.29	1,107	61.64
Unprotected spring	3	0.17	1,110	61.80
Rainwater	4	0.22	1,114	62.03

Water refilling station	682	37.97	1,796	100.00
Total	1,796	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Sabang

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	429	30.40	429	30.40
Piped to yard / plot	73	5.17	502	35.58
Piped to neighbor	17	1.20	519	36.78
Public tap / stand pipe	4	0.28	523	37.07
Tubed well / borehole	67	4.75	590	41.81
Protected spring	2	0.14	592	41.96
Rainwater	1	0.07	593	42.03
Water refilling station	814	57.69	1,407	99.72
Surface water	2	0.14	1,409	99.86
Bottled water	2	0.14	1,411	100.00
Total	1,411	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

San Isidro

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	1	0.61	1	0.61
Piped to yard / plot	38	23.03	39	23.64
Public tap / stand pipe	4	2.42	43	26.06
Tubed well / borehole	44	26.67	87	52.73
Water refilling station	78	47.27	165	100.00
Total	165	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

San Jose

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	8	2.73	8	2.73
Piped to yard / plot	56	19.11	64	21.84
Piped to neighbor	2	0.68	66	22.53
Public tap / stand pipe	77	26.28	143	48.81
Protected spring	3	1.02	146	49.83
Water refilling station	147	50.17	293	100.00
Total	293	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

San Juan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	2,398	66.52	2,398	66.52
Piped to yard / plot	176	4.88	2,574	71.40
Piped to neighbor	37	1.03	2,611	72.43
Public tap / stand pipe	158	4.38	2,769	76.81
Tubed well / borehole	13	0.36	2,782	77.17
Protected well	2	0.06	2,784	77.23
Unprotected well	1	0.03	2,785	77.25
Water refilling station	816	22.64	3,601	99.89
Surface water	2	0.06	3,603	99.94

Bottled water	2	0.06	3,605	100.00
Total	3,605	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

San Pedro

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	18	9.47	18	9.47
Piped to neighbor	4	2.11	22	11.58
Public tap / stand pipe	166	87.37	188	98.95
Protected spring	1	0.53	189	99.47
Water refilling station	1	0.53	190	100.00
Total	190	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

San Roque

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	178	39.56	178	39.56
Piped to yard / plot	18	4.00	196	43.56
Piped to neighbor	4	0.89	200	44.44
Public tap / stand pipe	9	2.00	209	46.44
Tubed well / borehole	1	0.22	210	46.67
Protected well	1	0.22	211	46.89
Cart with small tank	4	0.89	215	47.78
Water refilling station	230	51.11	445	98.89
Surface water	5	1.11	450	100.00
Total	450	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Sidlakan

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	13	16.88	13	16.88
Piped to yard / plot	2	2.60	15	19.48
Public tap / stand pipe	1	1.30	16	20.78
Tubed well / borehole	61	79.22	77	100.00
Total	77	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Silop

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	197	56.13	197	56.13
Piped to yard / plot	28	7.98	225	64.10
Piped to neighbor	9	2.56	234	66.67
Public tap / stand pipe	26	7.41	260	74.07
Tubed well / borehole	2	0.57	262	74.64
Protected well	7	1.99	269	76.64
Tanker truck	1	0.28	270	76.92
Water refilling station	79	22.51	349	99.43
Bottled water	2	0.57	351	100.00
Total	351	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Sugbay

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	137	97.16	137	97.16
Piped to yard / plot	1	0.71	138	97.87
Public tap / stand pipe	3	2.13	141	100.00
Total	141	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Sukailang

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	208	64.60	208	64.60
Piped to yard / plot	4	1.24	212	65.84
Piped to neighbor	3	0.93	215	66.77
Public tap / stand pipe	3	0.93	218	67.70
Tubed well / borehole	6	1.86	224	69.57
Protected well	5	1.55	229	71.12
Protected spring	5	1.55	234	72.67
Water refilling station	88	27.33	322	100.00
Total	322	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Taft (Pob.)

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	2,223	53.62	2,223	53.62
Piped to yard / plot	65	1.57	2,288	55.19
Piped to neighbor	7	0.17	2,295	55.35
Public tap / stand pipe	6	0.14	2,301	55.50
Tubed well / borehole	1	0.02	2,302	55.52
Cart with small tank	5	0.12	2,307	55.64
Water refilling station	1,619	39.05	3,926	94.69
Bottled water	210	5.07	4,136	99.76
Sachet water	10	0.24	4,146	100.00
Total	4,146	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Talisay

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	23	7.62	23	7.62
Piped to yard / plot	47	15.56	70	23.18
Piped to neighbor	1	0.33	71	23.51
Public tap / stand pipe	138	45.70	209	69.21
Tubed well / borehole	2	0.66	211	69.87
Water refilling station	90	29.80	301	99.67
Bottled water	1	0.33	302	100.00
Total	302	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Togbongon

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
-------------------------------	-----------	---------	------------------	--------------------

Piped into dwelling	84	14.14	84	14.14
Piped to yard / plot	137	23.06	221	37.21
Piped to neighbor	1	0.17	222	37.37
Protected well	1	0.17	223	37.54
Protected spring	3	0.51	226	38.05
Cart with small tank	1	0.17	227	38.22
Water refilling station	367	61.78	594	100.00
Total	594	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Trinidad

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	360	56.43	360	56.43
Piped to yard / plot	74	11.60	434	68.03
Piped to neighbor	23	3.61	457	71.63
Public tap / stand pipe	12	1.88	469	73.51
Protected well	9	1.41	478	74.92
Protected spring	34	5.33	512	80.25
Water refilling station	125	19.59	637	99.84
Bottled water	1	0.16	638	100.00
Total	638	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Orok

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	260	68.06	260	68.06
Piped to yard / plot	10	2.62	270	70.68
Piped to neighbor	1	0.26	271	70.94
Public tap / stand pipe	1	0.26	272	71.20
Tubed well / borehole	1	0.26	273	71.47
Protected well	43	11.26	316	82.72
Unprotected well	8	2.09	324	84.82
Protected spring	2	0.52	326	85.34
Water refilling station	53	13.87	379	99.21
Surface water	2	0.52	381	99.74
Bottled water	1	0.26	382	100.00
Total	382	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Washington (Pob.)

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	2,389	62.84	2,389	62.84
Piped to yard / plot	332	8.73	2,721	71.57
Piped to neighbor	31	0.82	2,752	72.38
Public tap / stand pipe	167	4.39	2,919	76.78
Tubed well / borehole	2	0.05	2,921	76.83
Protected well	1	0.03	2,922	76.85
Rainwater	2	0.05	2,924	76.91
Tanker truck	1	0.03	2,925	76.93
Cart with small tank	3	0.08	2,928	77.01
Water refilling station	864	22.72	3,792	99.74

Surface water	1	0.03	3,793	99.76
Bottled water	7	0.18	3,800	99.95
Sachet water	2	0.05	3,802	100.00
Total	3,802	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Zaragoza

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	17	12.88	17	12.88
Piped to yard / plot	3	2.27	20	15.15
Piped to neighbor	10	7.58	30	22.73
Public tap / stand pipe	55	41.67	85	64.39
Water refilling station	47	35.61	132	100.00
Total	132	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority

Canlanipa

Main source of drinking water	Frequency	Percent	Cumulative Total	Cumulative Percent
Piped into dwelling	2,220	83.77	2,220	83.77
Piped to yard / plot	55	2.08	2,275	85.85
Piped to neighbor	103	3.89	2,378	89.74
Public tap / stand pipe	65	2.45	2,443	92.19
Protected well	23	0.87	2,466	93.06
Unprotected well	7	0.26	2,473	93.32
Water refilling station	160	6.04	2,633	99.36
Bottled water	17	0.64	2,650	100.00
Total	2,650	100.00		

Source: 2022 Community-Based Monitoring System (CBMS), Philippine Statistics Authority